

DRINKS STATIONS

BASIX H₂O~2U

Drinks stations to enable businesses to join the national drinking water scheme* by offering easily accessible drinking water for staff, customers and the public.

BENEFITS



Safety in mind

High-strength injection moulded units

removes the possibility of cut hazards

created by sharp stainless steel edges.

No sharp corners for staff, customers or

the public to knock into. Child friendly.

- across the whole range.

- Stylish, curved design. Ideal for public and staff areas, kitchens, changing/wash rooms.
- Soft-touch press buttons with built in auto shut-off valve require no user effort.
- Tall swan neck bottle filler and deep bowl accommodates large water bottles.
- Overall design function encourages reuse and recycling of drinks containers, helping to protect the environment.

Bottle Filler and Bubbler

Chrome-plated water bubbler and water bottle filler are robust, corrosion resistant and easy to clean. Adjustable flow screws allow the flow rates to be quickly and easily modified (using an Allen key).



Easy Installation

Mounting bracket with integral spirit level supplied with every 300 and 400 basin for fast and easy installation.





WATER

ENVIRONMENT

MECHLINE

DRINKS STATIONS

TAP OPTIONS

- Chrome-plated
- Robust, corrosion resistant and easy to clean
- Adjustable flow screws allow the flow rates to be quickly and easily modified (using an Allen Key)
- EPDM rubber o-rings
- Double filter, to ensure users a thick and uniform water flow, to increase hygienic use and convenience
- Soft-touch press buttons with built in auto shut-off valve require no user effort
- 3/8-inch BSP thread
- Supplied with flexible connection hose -10mm bore, 150mm length, 3/8-inch F x 15mm compression fitting
- 25 32mm tap hole size
- Can be purchased separately



Ø40 Ø43 <u>4</u>0

3/8" BSP





WATER

PEST

CONTROL

BASIX

ENVIRONMENT

GAS

400 MODELS



M MECHLINE

WATER

GAS ENVIRONMENT

ment control

PEST

DRINKS STATIONS

400i MODELS

Basin O/D: 400 x 360 x 510 Bowl: 358 x 310 x 160 deep



WS1 MODELS

Basin O/D: 355 x 320 x 195 Bowl: 255 x 278 x 110 deep



Model Description WRAS WS1-G-WDS WS1 GREY basin with water bottle filler and bubbler WRAS WS1-G-WBF WS1 GREY basin with water bottle filler (includes tap hole stopper) WS1-G-BUB WRAS WS1 GREY basin with water **bubbler** (includes tap hole stopper) WRAS WS1-W-WDS WS1 WHITE basin with water bottle filler and bubbler WRAS WS1-W-WBF WS1 WHITE basin with water bottle filler (includes tap hole stopper) WRAS WS1-W-BUB WS1 WHITE basin with water **bubbler** (includes tap hole stopper)

FURTHER OPTIONS





DRINKS STATIONS

*Mechline's range of BaSix H2O~2U Drinks Stations help businesses engage with the National Drinking Water Scheme and play their part in reducing plastic pollution.

WATER

GAS

The National Drinking Water Scheme is a collaborative drive between water companies and the Refill campaign who have called on high street retailers, including coffee shops and restaurants, to offer refill points for the public to top-up their water bottles in order to significantly cut plastic bottle use.



ENVIRONMENT

PEST

CONTROL





The WRAS Approved Product logo is a certification mark which is owned by WRAS Ltd.

MECHLINE DEVELOPMENTS LIMITED

Telephone: +44 (0)1908 261511 Email: info@mechline.com

Web: www.mechline.com

©2019 All rights reserved. All material on these pages, including and without limitation text, logos, icons, photographs and all other artwork, is copyright material of Mechline Developments Ltd, unless otherwise stated. Commercial use of this material may only be made with the express, prior, written permission of Mechline. This includes material provided by any third party, including material obtained through links to other sites from Mechline's pages or its affiliates and commercial associates. Material and information included are correct at time of print. Intending buyers and users must satisfy themselves as to the suitability and safety of the products for their particular purposes and duites. Dimensions shown in mm unless otherwise stated. Product accreditation may not apply to all products in the relevant range. Please contact Mechline to confirm. Unless otherwise stated, all products carry a warranty of twelve (12) months against manufacturing defect or workmanship on parts with no inclusion for labour or site attendance. Rev. 06/19 (BSX0058)