



Product certificate K109119-3

Issued 2025-06-01

Replaces K109119/02

Page 1 of 3

Thermostatic Mixing Valves

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

DELABIE SAS

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline **BRL-K610** "Thermostatic mixing valves" dated 01-02-2012, which covers the requirements of:

EN 1111:2017 "Sanitary tapware – Thermostatic Mixing Valves (PN10)".

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.com in order to ensure that this certificate is still valid.

CERTIFICATE

288171015

Kiwa Nederland B.V.
Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
NL.Kiwa.info@Kiwa.com
www.kiwa.com

Company
DELABIE SAS
18, rue, du Maréchal FOCH
80130 FRIVILLE ESCARBOTIN
France
Tel. 0322602270
www.delabie.fr



Certification process
consists of initial and
regular assessment of:

- quality system
- product

Thermostatic Mixing Valves

PRODUCT SPECIFICATION

The products mentioned below belong to this certificate ;

<i>Type</i>	<i>Design</i>	<i>Article no.</i>
Thermostatic mixing valve	Securitouch	H9769
Thermostatic mixing valve	Securitouch	H9768
Thermostatic mixing valve	Securitouch	H9768BEL
Thermostatic mixing valve	Securitouch	H9768S
Thermostatic mixing valve	Premix nano	732216
Thermostatic mixing valve	Premix nano	732230
Thermostatic basin mixer		H96001 BEL*
Thermostatic basin mixer		H96051 BEL*
Thermostatic mixing valve		733015*
Thermostatic mixing valve		733020*
Thermostatic shower mixer		H9741*
Thermostatic shower mixer		9741*
Thermostatic shower mixer		H9741S*
Sequential thermostatic shower mixer		H9630*
Sequential thermostatic shower mixer		9630*
Sequential thermostatic shower mixer		H9630S*
Sequential thermostatic shower mixer		H9630BEL*

(*) compliance to the hygienic aspects requirements has not been established yet.

Thermostatic Mixing Valves

FITNESS FOR CONTACT WITH DRINKING WATER

This products are approved on the basis of the requirements for hygienic aspects set in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" ("Materials and chemicals in the supply of drinking water and warm tap water Regulation" dated 01-07-2017; published in the Government Gazette).

These hygienic aspects are based on two main criteria. The product shall permanently comply with:

- The product recipe approved during the assessment procedure. This recipe is not to be changed without prior approval by Kiwa according to the Kiwa approval procedure for the hygienic aspects;
- Specific product requirements for the hygienic aspects.

The recipe and specific product requirements are laid down in the for confidentiality reasons undisclosed 'appendix hygienic aspects' to this certificate.

For the thermostatic mixers marked with an asterisk (*) in the table above, compliance to these requirements has not been established yet.

APPLICATION AND USE

Sanitary tapware; thermostatic mixing valves are designed for application within the following limits of use:

- a working pressure from 50 kPa up to 1000 kPa;
- a water temperature of maximum 75°C.

The recommended limits for correct operation are:

- a working pressure of 100 kPa up to 500 kPa;
- a water temperature of maximum 65°C.

MARKING

The Kiwa®-watermark products are marked with the word mark "KIWA" together with the Watermark logo ;

The Kiwa®-mark products are marked with the word mark "KIWA".

Place of the mark: on the body.

Compulsory specifications:

- name or mark of manufacturer, on the body;
- indication for temperature selection, on the handle;
- the acoustic group, if classified, on the body;
- the flow rate class, on the body.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- DELABIE SAS
- and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.